



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Port of Zamboanga.

Number of vessels inspected: Steamers from foreign ports.....	2
<hr/>	
Number of passengers on arriving boats inspected:	
On steamers—	
Cabin	16
Steerage	64
<hr/>	
Total	80
<hr/>	
Crew on arriving steamers inspected	136
Vessels in quarantine	0

Port of Jolo.

Vessels inspected.....	0
Passengers on arriving boats inspected	0
Crew on arriving boats inspected	0
Vessels in quarantine	0

WEST INDIES.

Report from Barbados—Inspection of vessels—Fumigation of vessel to destroy mosquitoes.

Assistant Surgeon Ward reports, September 14, as follows:

During the week ended September 9, 1905, bills of health were issued to 6 steamships and 2 sailing vessels, with 268 crew, 47 cabin and 49 steerage passengers. Of this number I inspected 4 steamships, 1 sailing vessel, 170 crew, 18 cabin and 49 steerage passengers. There were 5 crew, 38 cabin and 29 steerage passengers taken on at this port.

On September 5 I fumigated, to kill mosquitoes, the British steamship *Benedict*, from Manaos via Para, bound to Galveston, Tex., in water ballast, with 36 crew; all well; no passengers.

The general health of this island continues good; no quarantinable diseases have been reported.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

BAHAMAS—*Dunmore Town*.—Two weeks ended September 15, 1905. Estimated population, 1,232. Two deaths. No contagious diseases.

Green Turtle Cay—Abaco.—Two weeks ended September 21, 1905. Estimated population, 3,314. No deaths and no contagious diseases reported.

Nassau.—Two weeks ended September 23, 1905. Estimated population, 12,650. Number of deaths not reported. No contagious diseases reported.

BRITISH GUIANA—*Demerara—Georgetown*.—Month of August, 1905. Estimated population, 36,597. Total number of deaths, 127, including diphtheria 1, and 22 from tuberculosis.

CANADA—*Quebec—Sherbrooke*.—Month of September, 1905. Estimated population, 13,364. Total number of deaths, 20, including 1 from enteric fever.

CHILE—*Antofagasta*.—Month of August, 1905. Estimated population, 23,500. Total number of deaths, 182, including enteric fever 5, scarlet fever 10, plague 6, smallpox 55, and 9 from tuberculosis.

FRANCE—*St. Etienne*.—Two weeks ended August 30, 1905. Estimated population, 146,671. Total number of deaths, 140, including diphtheria 2, enteric fever 8, and 23 from tuberculosis.

GERMANY—*Weimar*.—Month of August, 1905. Estimated population, 30,829. Total number of deaths, 60, including 4 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended September 9, 1905, correspond to an annual rate of 16.1 per 1,000 of the aggregate population, which is estimated at 15,609,377.

London.—One thousand four hundred and thirty-two deaths were registered during the week, including measles 20, scarlet fever 7, diphtheria 5, whooping cough 16, enteric fever 10, and 222 from diarrhea. The deaths from all causes correspond to an annual rate of 15.9 per 1,000. In Greater London 1,988 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 1 from scarlet fever, 5 from whooping cough, and 57 from diarrhea.

Ireland.—The average annual death rate represented by the deaths registered during the week ended September 9, 1905, in the 21 principal town districts of Ireland was 17.3 per 1,000 of the population, which is estimated at 1,093,959. The lowest rate was recorded in Newtownards, viz, 5.7, and the highest in Ballymena, viz, 38.3 per 1,000. In Dublin and suburbs 143 deaths were registered, including diphtheria 1, enteric fever 4, and 24 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended September 9, 1905, correspond to an annual rate of 14 per 1,000 of the population, which is estimated at 1,749,917. The lowest rate of mortality was recorded in Greenock, viz, 10.4, and the highest in Dundee, viz, 17.5 per 1,000. The aggregate number of deaths registered from all causes was 469, including measles 7, diphtheria 4, scarlet fever 2, enteric fever 5, and 9 from whooping cough.

JAPAN—*Formosa*.—Month of August, 1905. Estimated population, 2,922,585. Total number of deaths not reported. Two deaths from enteric fever and 2 from plague reported.

Nagasaki.—Ten days ended September 10, 1905. Estimated population, 159,041. Total number of deaths not reported. One death from enteric fever reported.

SPAIN—*Barcelona*.—Ten days ended September 20, 1905. Estimated population, 600,000. Total number of deaths, 382, including enteric fever 10, measles 2, and 39 from tuberculosis.

WEST INDIES—*Curaçao*.—Two weeks ended September 22, 1905. Estimated population, 31,600. Total number of deaths 9. No deaths from contagious diseases.